



SPRING 2011

Your Vet



Carnegie Veterinary Clinic & Carnegie Cat Cottage

66 Rosstown Road
Carnegie,
Victoria 3163
P: 9563 5422
F: 9563 6944



Email: cvc66000@commander360.com
Website: www.carnegievets.com.au &
www.carnegiecatcottage.com.au

Our Vets:

Dr. Ketan Jivanjee

BSc (La Trobe), BVSc (Pretoria), MRCVS (UK)
Special Interests: Small Animal Surgery, Small Animal Internal Medicine, Ophthalmology, Theriogenology, Pharmacology, Unusual & Exotic Pet Medicine & Surgery, Veterinary Practice Management.

Dr. Kelly Wilkinson

BVSc (Hons) (Melbourne)
Special interests: Small Animal Medicine, Feline Medicine, Animal Behaviour, Unusual & Exotic Pet Medicine & Surgery.

You may have already met our nurses; Natasha, Shonna, Amy and Melissa. They have pets of their own and are well versed on all clinic, hospital and cat boarding services. Please do not hesitate to ask them any questions. They will assist you as much as possible to ensure a well informed and worthwhile visit to the clinic. Our staff will eagerly assist you with your appointments, food supplies and any other questions you may have about the care and welfare of your pet. Passion, Pride and Perseverance in Service and Care is what we do.

Natasha Whitehead *Cert IV (Vet. Nursing)*

Areas of interest: Surgical nursing, Practice Management, Puppy Preschool, Nutrition & Behaviour, Counselling & Client Relations

Shonna Camilleri *Cert IV (Vet. Nursing)*

Areas of interest: Surgical Nursing, Medical Nursing, Nutrition & Behaviour, Counselling & Client Relations

Amy Monagle *Studying for Cert IV (Vet. Nursing)*

Areas of interest: Surgical Nursing, Medical Nursing, Nutrition, Counselling & Client Relations

Melissa Collins

Areas of interest: Nursing, Client Relations, Cattery Management

Carnegie Veterinary Clinic Hours:

Monday to Friday: 8am – 7pm
Saturday 9am – 1:30pm

Carnegie Cat Cottage – Hours of Admission and Discharge:

Monday to Friday: 10am – 1pm
Saturday 9am 1:30pm

In the unfortunate event that you would require veterinary assistance after hours please contact:

Pet Emergency Centre, 1103 Dandenong Road, Malvern East, Victoria 3145

Phone: 9569 3677 Melways Reference: 68 J3

Southern Animal Emergency Centre,

248 Wickham Road, Highett, Victoria 3190
Phone: 9532 5261 Melways Reference: 77 H8

Signs of disease:

Hind Leg Weakness

Vets are commonly presented with a pet that has hind limb weakness. Sometimes this occurs suddenly and is very obvious. In some circumstances, the changes come on slowly and may only be noticed by the vet during routine examination. This is especially common in older pets where hind limb weakness is seen as part of ageing and often perceived to be 'normal' by the owners. These pets may be reluctant or unable to do things they used to (jump on the bed/sofa, leap up retaining walls), be slowing down on walks, or have difficulty in rising.

When a pet presents with hind limb weakness, whether acute or chronic, a thorough history of the problem will be taken. This includes vaccination status, travel history (particularly in the eastern states in Australia where paralysis ticks are endemic), diet and supplements, previous surgeries or illnesses, medications or possible toxins. Speed of onset of symptoms is pertinent. In rapid onset, a toxin may be suspected, whereas a gradual development of symptoms suggests a chronic disease of some form.

As well as physical examination of all the limbs, the movement of limbs and joints are assessed at various walking speeds. We check to see if the pet is trying to carry more weight on the front limbs (more likely with bony or joint pain than true weakness) or if there is a 'hip hike' on one side. We also do a full physical examination looking for a systemic (body-wide) cause of the weakness, as well as a neurological assessment, checking reflexes, muscle tone and whether your pet knows where his feet are all the time. We need to assess whether the weakness is due to an orthopaedic (bony) or joint problem, a neurological (nerve) problem, a muscle problem or a metabolic problem.

Overall, the following conditions are just some that appear as hind limb weakness: hip dysplasia, hip

arthritis, knee arthritis, knee ligament rupture, spinal arthritis, pelvic or spinal trauma, spinal cord disease, snake bite, tick paralysis, metabolic disturbances, anaemia, low blood oxygen, and disease of the junctions between nerve and muscle.



In many dogs, chronic, bilateral (both sides) arthritis of the hips or knees will present as weakness. Sometimes a trial of arthritis medication will clarify the diagnosis. However, if the cause of weakness is uncertain, further tests may be suggested. These may include blood tests and x-rays or more advanced imaging such as contrast x-rays, CT or MRI scans where available. In emergency cases of hind limb weakness, diagnosis may come second to emergency therapy. If snakebite or tick paralysis (a regionally variable risk) is suspected, urgent treatment is required.

If your pet develops signs of weakness in the back legs, either gradually or suddenly, a thorough examination by your vet as soon as possible is advisable for diagnosis and appropriate treatment.

READERS!
Enter our competition and **WIN!**
Details inside

- Testicular tumours in dogs
- Spring – time to spay your cat
- Scurvy in guinea pigs

inside



Emergency!

Testicular Tumours in Your Pet Dog

The occurrence of testicular tumours is one of the main medical reasons for castrating male dogs. Testicular tumours tend to be a disease of older dogs and cryptorchid dogs (dogs with only one descended testicle). The non-descended testicle in a cryptorchid dog is usually located in the abdomen or deep in the groin area. The non-descended testicle is 13 times more likely to develop cancer than a normal descended testicle.

There are three main tumours that can occur in a dog's testicles. Sertoli cell tumours are the most commonly found and are fascinating in that they result in a "feminising syndrome". This is the result of an excess production of oestrogen from the cancer cells in the affected dog's testicle. His penis shrinks, although the sheath that holds the penis becomes pendulous. His nipples and mammary glands become larger and may even begin to produce milk. He may become attractive to other males and may adopt a more feminine way of urinating. Uneven testicular size occurs with the affected testicle becoming larger whilst the non-affected testicle shrinks. Of more concern than an effeminate male is that excess estrogen can have a suppressive effect on bone marrow-

halting production of blood cells. Around 10% of Sertoli cell tumours are malignant and can spread to other parts of the body.

The other common types of testicular tumour are the Interstitial cell tumour and a Seminoma. These are more benign tumours which are less likely to spread.



Any testicular mass should be checked by your vet, as if caught early, all testicular tumours are curable with castration. Left untreated, a small percentage will spread to the rest of the body. Palpable masses in testicles can also be non-cancerous and due to scar tissue and other benign causes.

Spring – It's time to spay you cat

Pet overpopulation is a huge problem and every year thousands and thousands of unwanted cats are euthanised. This is a grim statistic but the real tragedy is that it is potentially preventable through responsible pet ownership and desexing.

The terms "neutering" and "spaying" are used to describe the surgical procedures performed on animals to stop them from breeding. Neutering (for males) involves the surgical removal of the testicles, leaving the penis and scrotum intact. This is also referred to as "castration". In female cats (also referred to as queens), the surgery involves the removal of the ovaries and uterus (ovariohysterectomy). This procedure is commonly referred to as a "spay".

Apart from the obvious benefit of stopping unwanted breeding, spaying can prevent the following illnesses later in life:

- Mammary (breast) cancer – female cats are about seven times more likely to develop mammary tumours if they are not spayed before their first heat cycle
- Pyometra or uterine infections
- Dystocia (difficult birth)



There is no maximum age for desexing your pet, but it is generally recommended that female cats be desexed before their first season.

Most people are surprised at how quickly their pet recovers from surgery, and the prevention of unwanted pregnancies benefits your cat and our community. So be a responsible pet owner and make an appointment with your vet.

Competition for our readers!

WIN a \$50 shopping voucher

- 1) Just answer the following question: Which article did you like best in this issue of Your Vet?
- 2) Tick the box next to your preferred voucher: Angus & Robertson Book Stores Coles Myer Ltd Target Australia Ltd K Mart Australia Ltd JB Hi Fi
- 3) Post with your name and address on the back of the envelope to: Your Vet Voucher Competition, Unit 5/1 Almondbury Road, Mt Lawley WA 6050

THAT'S IT! GOOD LUCK!

The winner of the Autumn competition was Y. Quick of WA.

Must be received by latest post marked 31/10/2011 to be in the running





Ask Your Vet

Signs of Disease: Scurvy in Guinea Pigs

Question: My guinea pig, Elvis, has lost his appetite and is not looking well. His coat is in poor condition and his back legs seem a bit lame. What should I do?

Answer: You are describing common symptoms of Vitamin C deficiency. Vitamin C (or ascorbic acid) is essential to good growth and health. A long-term deficiency of this critical vitamin may lead to scurvy disease.



Look out for these common signs of scurvy:

- Lethargy, weakness, unwillingness to move
- Sore joints and lameness (usually in the back legs first)
- Loss of appetite and weight loss
- Bleeding gums and nasal discharge
- Rough coat
- Diarrhoea

Keep in mind, some of these signs such as nasal discharge may indicate other serious conditions like a respiratory infection. If your guinea pig is showing some of these signs, do not assume this is "just" a lack of Vitamin C and fail to provide critical veterinary care for a serious illness. Rather err on the side of caution and bring your guinea pig for a check-up.

Scurvy is a disease seen in guinea pigs all too often. It is a progressive condition and the symptoms can be quite severe. The good news is that scurvy is easily preventable.

The average guinea pig needs between 10 and 30 mg/kg daily for good health. However, actual requirements can vary from one guinea pig to another. Young, pregnant, and ill guinea pigs may need more Vitamin C than the average.

Fresh fruit and vegetables are a great source of Vitamin C and fibre. Since the Vitamin C content of the foods we provide can be affected by temperature, sunlight and humidity, it is a best to give your guinea pig generous portions of vegetables. Vitamin C is also available in tablets, but speak to your vet first to ensure that you do not give your pet unnecessary supplements.

Gummy Dogs

You may have noticed that as some dogs get older, their gums may become knobby and their teeth appear to shrink into the exuberant gum tissue. This condition is called *gingival hyperplasia* and is particularly common in Boxers and Collies.

Gingival hyperplasia is not seriously harmful to dogs. However, it does predispose to dental disease as the thickened gum tissue can develop pockets, which trap bacteria.

Regular veterinary dental cleaning followed up with home dental health care are important to minimise bacterial levels and inflammation. In severe cases, the gums can be surgically trimmed back to expose the teeth and remove the deep pockets of abnormal gum. This procedure needs to be performed under general anaesthetic. There are many conditions that can appear similar to gingival hyperplasia but may indicate a more serious disease. It is important to have your vet check any gum problems.

Clever CROSSWORD


Each of the words can be found in this issue of "Your Vet". Answers are shown on bottom of back page.

Across:

1. The study of birds
3. Female cat
5. Another term for desexing
7. Pertaining to or affecting the body as a whole
8. Difficult birth

Down:

2. Gingival ___ refers to thickened gum tissue
4. Disease caused by deficiency of Vitamin C
6. A flightless bird





Grief and Pet Loss

No one can tell you the right or wrong way to grieve. Grief is as individual as you are and no two people experience it the same way. Some people even experience grief differently at different times of their life, or with different pets. Grief at pet loss can also be complicated if you have had losses in your life in the past, as the new pain can “trigger” the feelings of loss from the past, to affect the present.



If you are in grief because your pet is dying or has died, take time to do the following:

- Surround yourself with people who understand. Avoid people who say “it’s just a pet”. Talk to friends or family who understand your pain, or talk to your veterinary professionals or counsellors.
- Don’t rush your grief. Healing will take the time that it needs to take. For some the worst pain is over in weeks, for others it may be years. Do not set a time limit for healing.
- Honour your pet with rituals and memorialisations. This may be writing a poem, having a ceremony or creating a shrine. With humans we have funerals to help us with this need. Create something meaningful to honour the loss of your pet.
- Be honest with your children and show them your pain. Try not to “be brave for the kids” as this may be their first experience of loss, and it’s good for them to see mum/dad cry too.

Bird Quiz

How much do you know about birds? Put your avian IQ to the test with this fun bird trivia quiz.

1. What do we call the study of birds?
 - (a) Entomology
 - (b) Ophthalmology
 - (c) Ornithology
2. How many known species of birds exist?
 - (a) 5,000
 - (b) 10,000
 - (c) 15,000
3. What characteristics make birds unique?
 - (a) feathers
 - (b) ability to lay eggs
 - (c) ability to fly
4. Which of the following is *not* a flightless bird?
 - (a) puffin
 - (b) kiwi
 - (c) penguin
5. Which of the following senses is weakest in birds?
 - (a) hearing
 - (b) sight
 - (c) smell

Answers:

1. (c) The study of birds is called ornithology.
2. (b) There are about 10,000 recorded bird species in the world.
3. (a) Birds are the only animals with feathers. Since some birds like ostriches and emus cannot fly, this is not a distinctive characteristic of birds.
4. (a) Puffins can fly.
5. (c) Most birds have poor senses of smell and taste.

Dr. Ketan Jivanjee

Ketan graduated Bachelor of Veterinary Science from the University of Pretoria, Onderstepoort, South Africa. Prior to that, he completed Bachelor of Science with majors in Biochemistry and Microbiology from La Trobe University, Bundoora.

Ketan is a Member of the Royal College of Veterinary Surgeons, United Kingdom. In 2003, a passion for surgery led him to complete a one year post graduate course in Small Animal Surgery conducted by the University of Sydney.

Ketan has focused on small animal practice since graduation. He spent three years in a busy small animal hospital in Albury/Wodonga honing his medical and surgical skills. His time there was both fruitful and rewarding allowing him to provide an in-depth medical and surgical service here at Carnegie Veterinary Clinic. He enjoys the rigours, challenges and diversity of a multi-faceted general practice. Out of the clinic, Ketan partakes in indoor soccer competitions.

Dr. Kelly Wilkinson

Kelly graduated Bachelor of Veterinary Science with honours from The University of Melbourne. Kelly is passionate about feline medicine. In 2002, Kelly completed a one year post graduate course in Feline Medicine conducted by the University of Sydney. Over the years, Kelly has maintained a strong focus on continuing veterinary education. She is also a member of the European Society of Feline Medicine.

Kellie’s interests away from the Clinic are her two beautiful daughters – Natalie and Stephanie.

We are passionate about continuing veterinary education and ongoing learning. All members of the Carnegie Veterinary Clinic Team partake in continuing professional development to further enhance their skills and ultimately provide better service to clients and better outcomes to patients. Striving for excellence in service and care is our priority.

To provide adequate service and facilities for your needs it is necessary to charge realistic fees for treating your pet. Prompt payment of our account will help us keep the fees down. Please note that we require complete payment at the time of each consultation visit and prior to discharge from the clinic for companions that underwent in-hospital procedures. An estimate of fees can be provided for all diagnostics and treatment. We accept cash, eftpos, mastercard and visa.

The Clinic itself does not offer an account facility. If you prefer to spread the cost of expensive and extensive medical or surgical treatments, payment plans are available through our GE Money CareCredit facility. Please ask Reception for more information.

We strongly recommend Pet Insurance. Unfortunately, a Medicare type system is not in place for our pets, so the real cost of providing treatment and care must be borne by the owner. If you would like to know more about pet insurance or Petplan specifically please feel free to pick up brochures which are readily available from reception.

Nobody likes waiting. We do our best to run on time. However, occasionally there are complex cases and emergencies, so we can run behind. We appreciate and thank you for your patience.

Answers to this edition's crossword:
 Across: 1. Ornithology; 3. Queen; 5. Spaying; 7. Systemic; 8. Dystopia;
 Down: 2. Hyperplasia; 4. Scurry; 6. Kiwi.